	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 1/11

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking.

1.1. Product identifier.

Code: NEO-ACTI PELLET-BROD
Product name: NEO-ACTIPELLET-BROD

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Intended use: RODENTICIDE BAIT READY TO USE

1.3. Details of the supplier of the safety data sheet.

Name: ACTIVA S.R.L.
Full address: Via Feltre, 32
District and Country: 20132 Milano (MI)
Italia
Tel. 0270637301
Fax. 0270637228

e-mail address of the competent person.

responsible for the Safety Data Sheet. tecnico@activa.it

1.4. Emergency telephone number.

For urgent inquiries refer to the poison center.

SECTION 2. Hazards identification.


2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Specific target organ toxicity - repeated exposure, category 2 H373

May cause damage to organs (BLOOD) through prolonged or repeated exposure.

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 2/11

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H373 May cause damage to organs (BLOOD) through prolonged or repeated exposure.

Precautionary statements:

P102 Keep out of reach of children.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER.
P308+P313 IF exposed or concerned: Get medical advice.
P501 Dispose of contents in accordance with national regulations

Contains: BRODIFACOU TECHNICAL

2.3. Other hazards.

PBT substances contained:

BRODIFACOU TECHNICAL

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification.

TRIETANOLAMMINA 99%

CAS. 102-71-6

$0,05 \leq x < 0,1$

EC. 203-049-8

INDEX. -

Reg. no. 01-2119486482-31

BRODIFACOU TECNICO

CAS. 56073-10-0

$0,002 \leq x < 0,003$


EC. 259-980-5

INDEX. 607-172-00-1

Classification 1272/2008 (CLP).

Substance with a community workplace exposure limit.

Repr. 1A H360D, Acute Tox.
1 H300, Acute Tox. 1 H310,
Acute Tox. 1 H330, STOT RE
1 H372, Aquatic Acute 1
H400 M=10, Aquatic Chronic
1 H410 M=10

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 3/11

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

Contains anticoagulant. Antidote: Vitamin K1 should only be administered by a physician / veterinarian.
For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.


5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 4/11

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product and place it in containers for recovery or disposal. If the product is flammable, use explosion-proof equipment. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.


Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 5/11

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

EU	OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC;
	TLV-ACGIH	Directive 2000/39/EC; Directive 91/322/EEC.
		ACGIH 2016

TRIETANOLAMMINA 99%

Threshold Limit Value.

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm
OEL	EU	5			

Predicted no-effect concentration - PNEC.

Normal value in fresh water	0,32	mg/l
Normal value in marine water	0,032	mg/l
Normal value for fresh water sediment	1,7	mg/kg
Normal value for marine water sediment	0,17	mg/kg
Normal value for water, intermittent release	5,12	mg/l
Normal value of STP microorganisms	10	mg/l
Normal value for the terrestrial compartment	0,151	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers. Acute local	Acute systemic	Chronic local	Chronic systemic	Effects on workers Acute local	Acute systemic	Chronic local	Chronic systemic
Oral.				13 mg/kg/d				
Inhalation.				1,25 mg/m3				5 mg/m3
Skin.				3,1 mg/kg/d				6,3 mg/kg/d

BRODIFACOU M TECNICO

Threshold Limit Value.

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm
OEL	EU	0,002			
TLV-ACGIH		0,002			

Predicted no-effect concentration - PNEC.

Normal value in fresh water	0,00004	mg/l
Normal value for fresh water sediment	0,043	mg/kg
Normal value of STP microorganisms	0,0058	mg/l


Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers. Acute local	Acute systemic	Chronic local	Chronic systemic	Effects on workers Acute local	Acute systemic	Chronic local	Chronic systemic
Oral.	0,0000033 mg/kg/d		0,0000033 mg/kg/d					

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 6/11

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.


SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance	Pellet
Colour	blue
Odour	characteristic
Odour threshold.	Not available.
pH.	6,5
Melting point / freezing point.	Not available.
Initial boiling point.	Not applicable.
Boiling range.	Not available.
Flash point.	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	1,35 g/ml
Solubility	Not available.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	305 °C.
Decomposition temperature.	Not available.
Viscosity	Not available.
Explosive properties	non esplosivo
Oxidising properties	Not available.

9.2. Other information.

	100,00 %
Pulverulenza	2,6 mg Non pulverulento

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 7/11

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component).
LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).
LD50 (Oral) of the mixture: Not classified (no significant component).
LD50 (Dermal) of the mixture: Not classified (no significant component).

TRIETANOLAMMINA 99%
LD50 (Oral).6400 mg/kg Ratto
LD50 (Dermal).> 2000 mg/kg

BRODIFACOUM TECNICO
LD50 (Oral).0,4 mg/kg ratto
LD50 (Dermal).3,16 mg/kg ratto
LC50 (Inhalation).3,05 ppm/4h

SKIN CORROSION / IRRITATION.

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION.

Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE.

May cause damage to organs.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information.

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity.**TRIETANOLAMMINA 99%**

LC50 - for Fish.	11800 mg/l/96h
EC50 - for Crustacea.	609,88 mg/l/48h
EC50 - for Algae / Aquatic Plants.	512 mg/l/72h

BRODIFACOUM TECNICO

LC50 - for Fish.	0,04 mg/l/96h
EC50 - for Crustacea.	0,25 mg/l/48h
EC50 - for Algae / Aquatic Plants.	0,04 mg/l/72h

12.2. Persistence and degradability.**TRIETANOLAMMINA 99%**

Rapidly biodegradable.

BRODIFACOUM TECNICO

NOT rapidly biodegradable.

12.3. Bioaccumulative potential.**BRODIFACOUM TECNICO**

BCF.	35134
------	-------

12.4. Mobility in soil.**BRODIFACOUM TECNICO**


Partition coefficient: soil/water.	6,12
---------------------------------------	------

12.5. Results of PBT and vPvB assessment.

PBT substances contained:

BRODIFACOUM TECNICO**12.6. Other adverse effects.**

Information not available.

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 9/11

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.


Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Information not relevant.

	ACTIVA S.R.L.	Revision nr. 1
	NEO-ACTI PELLET-BROD	Dated 17/07/2017 Printed on 25/07/2017 Page n. 10/11

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.
None.

Substances in Candidate List (Art. 59 REACH).

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.


15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Repr. 1A	Reproductive toxicity, category 1A
Acute Tox. 1	Acute toxicity, category 1
STOT RE 1	Specific target organ toxicity - repeated exposure, category 1
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H360D	May damage the unborn child.
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

	ACTIVA S.R.L.	Revision nr. 1 Dated 17/07/2017 Printed on 25/07/2017 Page n. 11/11
	NEO-ACTI PELLET-BROD	

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.